Graffiti-Enz Red Heavy Duty Graffiti Remover

Lenker Marketing Ltd

Chemwatch: 5227-15 Version No: 1.0 Chemwatch Hazard Alert Code:

Issue Date: 1 May 2020 Print Date: 1 May 2020

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Graffiti-Enz Red Heavy Duty Graffiti Remover
Synonyms	Graffiti-Enz Red
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

	· · · · · · · · · · · · · · · · · · ·
Relevant identified	Used to remove enamel spray can paint, permanent ink marker, crayon and glues from stainless steel, painted brick, glass,
uses	acrylic painted surfaces, vinyl particle board, tiles, marble and stoneware.

Details of the supplier of the safety data sheet

Registered company name	Lenker Marketing Ltd	
Address	29 Brick Bay Road, Sandspit, Warkworth, Auckland	
Telephone	0275 428 179	
Fax	Not Available	
Website	na	
Email	Shayne@lenker.co.nz	

Emergency telephone number

Association / Organisation	National Poisons Information Centre
Emergency telephone numbers	0800 764 766 (All Hours)
Other emergency telephone numbers	0275 428 179

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	lot Applicable	
Classification [1]	n Corrosion/Irritation Category 2, Serious Eye Damage Category 1	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI	

Label elements

GHS label elements



SIGNAL WORD DA

DANGER

Hazard statement(s)

Chemwatch: 5227-15 Page 2 of 8 Issue Date: 1 May 2020 Version No: 1.0 Print Date: 1 May 2020

Graffiti-Enz Red Heavy Duty Graffiti Remover

H315	Causes skin irritation.
H318	Causes serious eye damage.
	-

Precautionary statement(s) Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P362	Take off contaminated clothing and wash before reuse.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	If skin irritation occurs: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
8065-81-4	10-20	cetyl/ oleyl alcohols, ethoxylated
Not Available	>60	Ingredients determined not to be hazardous

SECTION 4 FIRST AID MEASURES

Eye Contact	If this product comes in contact with the eyes: • Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by
	occasionally lifting the upper and lower lids.
	Seek medical attention without delay; if pain persists or recurs seek medical attention.
	Properties the Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
	If skin contact occurs:
Oldin Contact	Immediately remove all contaminated clothing, including footwear.
Skin Contact	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
	If fumes or combustion products are inhaled remove from contaminated area.
	Lay patient down. Keep warm and rested.
	Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid
Inhalation	procedures.
	Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or
	pocket mask as trained. Perform CPR if necessary.
	Transport to hospital, or doctor.
	If swallowed do NOT induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway
	and prevent aspiration.
Ingestion	Observe the patient carefully.
	Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
	Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Chemwatch: 5227-15 Page 3 of 8

Issue Date: 1 May 2020 Version No: 1.0 Print Date: 1 May 2020 Graffiti-Enz Red Heavy Duty Graffiti Remover

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- ▶ Foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result 	
Advice for firefighters		
	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. 	

Fire Fighting

- Use water delivered as a fine spray to control fire and cool adjacent area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- F Equipment should be thoroughly decontaminated after use.

	 Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO).
Fire/Explosion Hazard	 May emit acrid smoke. Mists containing combustible materials may be explosive.
	Combustion products include:
	carbon dioxide (CO2)
	other pyrolysis products typical of burning organic material.

HAZCHEM

Not Applicable

Combustible.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Slippery when spilt. Provided Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up.
Major Spills	Place in a suitable, labelled container for waste disposal. Slippery when spilt. Remove all ignition sources.
	Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite.

Chemwatch: 5227-15 Page 4 of 8 Issue Date: 1 May 2020

Graffiti-Enz Red Heavy Duty Graffiti Remover

Version No: 1.0 Print Date: 1 May 2020

- Collect recoverable product into labelled containers for recycling.
- · Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.
- Wash area and prevent runoff into drains or waterways.
- If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

DO NOT allow clothing wet with material to stay in contact with skin

Remove all ignition sources.

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- When handling DO NOT eat, drink or smoke.
- Always wash hands with soap and water after handling.
- Avoid physical damage to containers.
- Use good occupational work practice.
- b Observe manufacturer's storage and handling recommendations contained within this SDS.

Other information

- Store in original containers.
- Keep containers securely sealed.
- No smoking, naked lights or ignition sources.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- b Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid storage with oxidisers

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Graffiti-Enz Red Heavy Duty Graffiti Remover	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
cetyl/ oleyl alcohols, ethoxylated	Not Available		Not Available	
Ingredients determined not to be hazardous	Not Available		Not Available	

Exposure controls

Appropriate
engineering controls

General exhaust is adequate under normal operating conditions.

Personal protection








Graffiti-Enz Red Heavy Duty Graffiti Remover

Issue Date: 1 May 2020 Print Date: 1 May 2020



Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Pale yellow liquid with apple odour; mixes with water.				
		D. L. C L Y			
Physical state	Liquid	Relative density	~0.96		
		(Water = 1)			
Odour	Not Available	Partition coefficient	Not Available		
		n-octanol / water			
Odour threshold	Not Available	Auto-ignition	Not Available		
		temperature (°C)			
pH (as supplied)	6.5-7.5	Decomposition	Not Available		
Maltin o o aint /		temperature			
Melting point /	Not Available	Viscosity (cSt)	Not Available		
freezing point (°C)		Malaaniaansiaht			
Initial boiling point	Not Available	Molecular weight	Not Applicable		
and boiling range (°C)		(g/mol)			
Flash point (°C)	>95	Taste	Not Available		
Evaporation rate	Not Available	Explosive properties	Not Available		
Flammability	Not Applicable	Oxidising properties	Not Available		
Upper Explosive Limit	Not Available	Surface Tension	Not Available		
(%)	Not Available	(dyn/cm or mN/m)	Not Available		
Lower Explosive Limit	Not Available	Volatile Component	Not Available		
(%)	Not Available	(%vol)	Not Available		
Vapour pressure (kPa)	Not Available	Gas group	Not Available		
Solubility in water	Mr. 211		N A		
(g/L)	Miscible	pH as a solution (1%)	Not Available		
Vapour density (Air =		V65 "	N A		
1)	>1	VOC g/L	Not Available		

SECTION 10 STABILITY AND REACTIVITY

Reactivity

See section 7

Issue Date: 10/11/2016 Print Date: 10/11/2016

Graffiti-Enz Red Heavy Duty Graffiti Remover

Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effective	cts	effe	ical	loai	ico	tox	on	ion	mati	nfor	ı
--	-----	------	------	------	-----	-----	----	-----	------	------	---

	Not normally a hazard due to non-volatile nature of product					
Inhaled	There is some evidence to suggest that the ma response to such irritation can cause further lur	terial can cause respiratory irritation in some persons. The body's ng damage.				
Ingestion	Accidental ingestion of the material may be dar	naging to the health of the individual.				
900	Ingestion may result in nausea, abdominal irrita	ttion, pain and vomiting				
	This material can cause inflammation of the ski	n on contact in some persons.				
Skin Contact	The material may accentuate any pre-existing of	The material may accentuate any pre-existing dermatitis condition				
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.					
Eye	If applied to the eyes, this material causes severe eye damage.					
	I I	•				
Chronic		ht to produce chronic effects adverse to the health (as classified by EC exposure by all routes should be minimised as a matter of course.				
	Directives using animal models); nevertheless of	exposure by all routes should be minimised as a matter of course.				
Chronic raffiti-Enz Red Heavy buty Graffiti Remover						
raffiti-Enz Red Heavy	Directives using animal models); nevertheless of	exposure by all routes should be minimised as a matter of course.				
raffiti-Enz Red Heavy Outy Graffiti Remover	TOXICITY Not Available	IRRITATION Not Available				

CETYL/ OLEYL ALCOHOLS, **ETHOXYLATED**

No significant acute toxicological data identified in literature search.

Human beings have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents, and other cleaning products . Exposure to these chemicals can occur through ingestion, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that volumes well above a reasonable intake level would have to occur to produce any toxic response. Moreover, no fatal case of poisoning with alcohol ethoxylates has ever been reported. Multiple studies investigating the acute toxicity of alcohol ethoxylates have shown that the use of these compounds is of low concern in terms of oral and dermal toxicity.

Clinical animal studies indicate these chemicals may produce gastrointestinal irritation such as ulcerations of the stomach, piloerection, diarrhea, and lethargy. Similarly, slight to severe irritation of the skin or eye was generated when undiluted alcohol ethoxylates were applied to the skin and eyes of rabbits and rats. The chemical shows no indication of being a genotoxin, carcinogen, or mutagen (HERA 2007). No information was available on levels at which these effects might occur, though toxicity is thought to be substantially lower than that of nonylphenol ethoxylates.

Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed. for similar material: as Oleth-5

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	~	Reproductivity	0
Serious Eye Damage/Irritation	~	STOT - Single Exposure	0

Chemwatch: 5227-15 Page 7 of 8 Issue Date: 10/11/2016 Version No: 6.1.1.1 Print Date: 10/11/2016

Graffiti-Enz Red Heavy Duty Graffiti Remover

Respiratory or Skin	8	S	TOT - Repeated	0
sensitisation	0		Exposure	
Mutagenicity	0	As	piration Hazard	0
		Legend:	💢 – Data availa	able but does not fill the criteria for classification

— Data required to make classification available

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Legend:	3. EPIWIN Suite V3.12 - /	Toxicity Data 2. Europe ECHA Aquatic Toxicity Data (Estimate 6. NITE (Japan) - Bioconcentra	d) 4. US EPA, Ecotox datab	pase - Aquatic Toxicity Data	5. ECETOC Aquatic

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- * Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.
- Bury or incinerate residue at an approved site.
- PRecycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

Version No: **6.1.1.1**

Graffiti-Enz Red Heavy Duty Graffiti Remover

Issue Date: 10/11/2016 Print Date: 10/11/2016

CETYL/ OLEYL ALCOHOLS, ETHOXYLATED(8065-81-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

National Inventory	Status
Australia - AICS	Y
Canada - DSL	N (cetyl/ oleyl alcohols, ethoxylated)
Canada - NDSL	N (cetyl/ oleyl alcohols, ethoxylated)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	N (cetyl/ oleyl alcohols, ethoxylated)
Japan - ENCS	N (cetyl/ oleyl alcohols, ethoxylated)
Korea - KECI	N (cetyl/ oleyl alcohols, ethoxylated)
New Zealand - NZIoC	Y
Philippines - PICCS	N (cetyl/ oleyl alcohols, ethoxylated)
USA - TSCA	N (cetyl/ oleyl alcohols, ethoxylated)
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
cetyl/ oleyl alcohols,	8065-81-4, 37335-03-8
ethoxylated	

The data in this Safety Data Sheet relates only to this product alone, and not to its use in combination with other substances or products. In such circumstances, assuming the combination is permitted (refer to product labels, and contact manufacturer if in doubt), be guided by the most hazardous of the substances involved and observe the more stringent of all hazard controls applicable to the products used.

Date of Safety Data Sheet: 1 May 2020

Reason for Revision: Review and update to new legislative requirements.

Further Information: Lenker Marketing Ltd

0275 428 179